

## SAFETY DATA SHEET

Based upon Regulation (EC) No. 1907/2006, as amended by Regulation (EC) No. 453/2010

## carbon dioxide, solid

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier:

1110440014001101011	
Product name	: carbon dioxide, solid
Synonyms	: carbon dioxide
<b>Registration number REACH</b>	: Exempted from registration under REACH in Annex IV (Regulation (EC) No 1907/2006)
Product type REACH	: Substance/mono-constituent
CAS number	: 124-38-9
EC number	: 204-696-9
RTECS number	: FF640000
Molecular mass	: 44.01 g/mol
Formula	: CO2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

#### 1.2.1 Relevant identified uses

Coolant Industrial use Cryogenic cleaning Contact the supplier for special uses

#### 1.2.2 Uses advised against

No uses advised against known

#### 1.3 Details of the supplier of the safety data sheet:

#### Supplier of the safety data sheet

A.C.P. Belgium N.V./S.A. Dellestraat 5 B-3550 Zolder ☎ +32 13 53 03 03 ⓓ +32 13 53 03 00 SHEQ@acpco2.com http://www.acpco2.com

#### 1.4 Emergency telephone number:

24h/24h:

+32 13 53 03 03 (A.C.P. Belgium) 24h/24h:

+48 79 51 15 949 (A.C.P. Poland)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

#### 2.1.1 Classification according to Regulation EC No 1272/2008

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### 2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC

Not classified as dangerous according to the criteria of Directive(s) 67/548/EEC and/or 1999/45/EC

#### 2.2 Label elements:

Labelling according to Regulation EC No 1272/2008 (CLP) Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### 2.3 Other hazards:

CLP

#### May cause frostbites

Large spills/in enclosed spaces: risk of oxygen deficiency

## SECTION 3: Composition/information on ingredients

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: 2,3,8,9,11,12,15 Revision number: 0200

Publication date: 2012-07-11 Date of revision: 2014-08-22

1/10

134-15990-443-en

#### 3.1 Substances:

CAS No EC No	Conc (C)	Classification according to DSD/DPD	Classification according to CLP	Note	Remark
124-38-9 204-696-9	C>99 %			(2)	Mono-constituent

(2) Substance with a Community workplace exposure limit

#### 3.2 Mixtures:

Not applicable

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures:

#### General:

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

#### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

#### After skin contact:

Rinse with water. Take victim to a doctor if irritation persists. In case of frostbites: Wash immediately with lots of water (15 minutes)/shower. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. If burned surface > 10%: take victim to hospital.

#### After eye contact:

Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.

#### After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed:

#### 4.2.1 Acute symptoms

#### After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Rapid respiration. Accelerated heart action. Headache. Nausea. Dizziness. Damp/clammy skin. Excited/restless. Visual disturbances. Ringing in the ears. Respiratory difficulties. Disturbances of consciousness. Cramps/uncontrolled muscular contractions. After skin contact:

Frostbites.

After eye contact:

Frostbites.

After ingestion:

Not applicable.

4.2.2 Delayed symptoms

No effects known.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media:

#### 5.1.1 Suitable extinguishing media:

Adapt extinguishing media to the environment.

#### 5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

#### 5.2 Special hazards arising from the substance or mixture:

#### 5.3 Advice for firefighters:

#### 5.3.1 Instructions:

No specific fire-fighting instructions required.

#### 5.3.2 Special protective equipment for fire-fighters:

Insulating gloves. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus. Heat/fire exposure: compressed air/oxygen apparatus.

### SECTION 6: Accidental release measures

#### Reason for revision: 2,3,8,9,11,12,15

Publication date: 2012-07-11 Date of revision: 2014-08-22

Revision number: 0200

Product number: 10155

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Keep upwind. Seal off low-lying areas. Close doors and windows of adjacent premises. No naked flames. Large spills/in confined spaces: consider evacuation. 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

#### 6.1.2 Protective equipment for emergency responders

Insulating gloves. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus. Suitable protective clothing

See heading 8.2

#### 6.2 Environmental precautions:

No data available

#### 6.3 Methods and material for containment and cleaning up:

Provide for ventilation.

#### 6.4 Reference to other sections:

See heading 13.

## <u>SECTION 7: Handling and storage</u>

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1 Precautions for safe handling:

Keep away from naked flames/heat. Protect cylinders from physical damage; do not drag, roll, slide or drop.

Close container valve after each use and when empty, even if still connected to equipment.

Damaged valves should be reported immediately to the supplier.

Never attempt to transfer gases from one cylinder/container to another. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards.

#### 7.2 Conditions for safe storage, including any incompatibilities:

#### 7.2.1 Safe storage requirements:

Store in a cool area. Ventilation at floor level. Provide for a cooling system. Keep only in the original container. Meet the legal requirements.

#### 7.2.2 Keep away from:

Heat sources, (strong) bases.

#### 7.2.3 Suitable packaging material:

Steel, stainless steel, synthetic material.

#### 7.2.4 Non suitable packaging material:

No data available

#### 7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters:

#### 8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

#### The Netherlands

Kooldioxide	Time-weighted average exposure limit 8 h	4919 ppm	Public occupational exposure limit value
	Time-weighted average exposure limit 8 h	9000 mg/m³	Public occupational exposure limit value

#### EU

20			
Carbon dioxide Time-weighted average exposure limit 8 h			Indicative occupational exposure limit
			value
	Time-weighted average exposure limit 8 h	9000 mg/m³	Indicative occupational exposure limit
			value

Belgium

Reason for revision: 2,3,8,9,11,12,15

	carbon dioxide, s	solid	
Carbone (dioxyde de)	Time-weighted average exposure limit 8 h	5000 ppm (A)	A: La mention "A" signifie que l' libère un gaz ou une vapeur qui eux-mêmes aucun effet physiolo mais peuvent diminuer le taux c dans l'air. Lorsque le taux d'oxy descend en dessous de 17-18 % le manque d'oxygène provoque suffocations qu'aucun symptôm préalable n'annonce
	Time-weighted average exposure limit 8 h	9131 mg/m³ (A)	A: La mention "A" signifie que l' libère un gaz ou une vapeur qui eux-mêmes aucun effet physiolo mais peuvent diminuer le taux c dans l'air. Lorsque le taux d'oxyg descend en dessous de 17-18 % le manque d'oxygène provoque suffocations qu'aucun symptôm préalable n'annonce
	Short time value	30000 ppm (A)	A: La mention "A" signifie que l' libère un gaz ou une vapeur qui eux-mêmes aucun effet physiolo mais peuvent diminuer le taux c dans l'air. Lorsque le taux d'oxyg descend en dessous de 17-18 % le manque d'oxygène provoque suffocations qu'aucun symptôm préalable n'annonce
	Short time value	54784 mg/m³ (A)	A: La mention "A" signifie que l' libère un gaz ou une vapeur qui eux-mêmes aucun effet physiolo mais peuvent diminuer le taux c dans l'air. Lorsque le taux d'oxyg descend en dessous de 17-18 % le manque d'oxygène provoque suffocations qu'aucun symptôm préalable n'annonce
USA (TLV-ACGIH)			
<b>USA (TLV-ACGIH)</b> Carbon dioxide	Time-weighted average exposure limit 8 h	5000 ppm	TLV - Adopted Value
	Time-weighted average exposure limit 8 h Short time value	5000 ppm 30000 ppm	TLV - Adopted Value TLV - Adopted Value
Carbon dioxide			· · ·
	Short time value	30000 ppm	· · ·
Carbon dioxide Germany			TLV - Adopted Value
Carbon dioxide Germany Kohlenstoffdioxid	Short time value Time-weighted average exposure limit 8 h	30000 ppm	TLV - Adopted Value
Carbon dioxide Germany Kohlenstoffdioxid France	Short time value Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900
Carbon dioxide Germany Kohlenstoffdioxid	Short time value Time-weighted average exposure limit 8 h	30000 ppm	TLV - Adopted Value
Carbon dioxide Germany Kohlenstoffdioxid France	Short time value Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de)	Short time value Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de)	Short time value Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de)	Short time value Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de)	Short time value Time-weighted average exposure limit 8 h	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de) UK Carbon dioxide b) National biological limit values	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide  Germany Kohlenstoffdioxid  France Carbone (dioxyde de)  UK Carbon dioxide  b) National biological limit values If limit values are applicable and a 2 Sampling methods	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de) UK Carbon dioxide b) National biological limit values If limit values are applicable and a 2 Sampling methods arbon dioxide, solid	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value         Short time value         available these will be listed below.	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm 27400 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de) UK Carbon dioxide b) National biological limit values If limit values are applicable and a 2 Sampling methods arbon dioxide, solid Product name	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value         Short time value         available these will be listed below.	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm 27400 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de) UK Carbon dioxide b) National biological limit values If limit values are applicable and a 2 Sampling methods arbon dioxide, solid	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value         Short time value         available these will be listed below.	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm 27400 mg/m <sup>3</sup>	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic VRI: Valeur réglementaire indic Workplace exposure limit (EH4 Workplace exposure limit (EH4
Carbon dioxide Germany Kohlenstoffdioxid France Carbone (dioxyde de) UK Carbon dioxide b) National biological limit values If limit values are applicable and a 2 Sampling methods arbon dioxide, solid Product name Carbon Dioxide	Short time value         Time-weighted average exposure limit 8 h         Short time value         Short time value         Short time value         Available these will be listed below.         Test         NIOSH	30000 ppm 5000 ppm 9100 mg/m <sup>3</sup> 5000 ppm 9000 mg/m <sup>3</sup> 5000 ppm 9150 mg/m <sup>3</sup> 15000 ppm 27400 mg/m <sup>3</sup> <b>Number</b> 6603	TLV - Adopted Value TRGS 900 TRGS 900 VRI: Valeur réglementaire indic

Reason for revision: 2,3,8,9,11,12,15

If applicable and available it will be listed below.

#### 8.1.5 Control banding

If applicable and available it will be listed below.

#### 8.2 Exposure controls:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Protect cylinders from physical damage; do not drag, roll, slide or drop.

Close container valve after each use and when empty, even if still connected to equipment.

Damaged valves should be reported immediately to the supplier.

Never attempt to transfer gases from one cylinder/container to another. Measure the oxygen concentration in the air. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

High vapour/gas concentration: self-contained respirator.

b) Hand protection:

Insulated gloves.

c) Eye protection:

Safety glasses.

d) Skin protection:

Protective clothing. Safety shoes.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

Physical form	Solid gas				
	Solid in various shapes				
Odour	Odourless				
Odour threshold	Not applicable				
Colour	White				
Particle size	Not applicable (gas)				
Explosion limits	No data available				
Flammability	Non combustible				
Log Kow	0.83 ; Experimental value				
Dynamic viscosity	No data available				
Kinematic viscosity	No data available				
Melting point	-57 °C ; 5000 hPa				
Boiling point	Not applicable				
Flash point	Not applicable				
Evaporation rate	No data available				
Relative vapour density	1.5				
Vapour pressure	57300 hPa ; 20 °C				
Solubility	water ; 0.29 g/100 ml				
Relative density	1.5 ; -65 °C				
Decomposition temperature	No data available				
Auto-ignition temperature	No data available				
Explosive properties	No chemical group associated with explosive properties				
Oxidising properties	No chemical group associated with oxidising properties				
рН	Not applicable				

#### **Physical hazards**

May cause cryogenic burns or injury

#### 9.2 Other information:

Critical temperature	31 °C
Critical pressure	73830 hPa
Sublimation temperature	-78.5 °C

## SECTION 10: Stability and reactivity

Reason for revision: 2,3,8,9,11,12,15

#### 10.1 Reactivity:

Substance has acid reaction.

#### 10.2 Chemical stability:

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions:

Reacts with (some) bases: release of heat. Reacts violently with (some) metal powders.

#### 10.4 Conditions to avoid:

Keep away from naked flames/heat. Protect cylinders from physical damage; do not drag, roll, slide or drop. Close container valve after each use and when empty, even if still connected to equipment. Damaged valves should be reported immediately to the supplier. Never attempt to transfer gases from one cylinder/container to another.

#### 10.5 Incompatible materials:

(strong) bases.

#### 10.6 Hazardous decomposition products:

No data available.

## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects:

11.1.1 Test results

#### Acute toxicity

<u>carbon dioxide, solid</u> No (test)data available <u>Conclusion</u> Not classified for acute toxicity

#### **Corrosion/irritation**

carbon dioxide, solid

No (test)data available

#### **Conclusion**

Not classified as irritating to the skin Not classified as irritating to the eyes Not classified as irritating to the respiratory system

#### Respiratory or skin sensitisation

<u>carbon dioxide, solid</u> No (test)data available <u>Conclusion</u> Not classified as sensitizing for skin Not classified as sensitizing for inhalation

#### Specific target organ toxicity

carbon dioxide, solid No (test)data available

Conclusion

Not classified for subchronic toxicity

#### Mutagenicity (in vitro)

carbon dioxide, solid No (test)data available

#### Mutagenicity (in vivo)

carbon dioxide, solid No (test)data available

#### Carcinogenicity

carbon dioxide, solid No (test)data available

Reason for revision: 2,3,8,9,11,12,15

Revision number: 0200

Publication date: 2012-07-11 Date of revision: 2014-08-22

Product number: 10155

#### **Reproductive toxicity**

carbon dioxide, solid

No (test)data available

#### Conclusion CMR

Not classified for carcinogenicity

Not classified for mutagenic or genotoxic toxicity

Not classified for reprotoxic or developmental toxicity

#### **Toxicity other effects**

carbon dioxide, solid No (test)data available

#### Chronic effects from short and long-term exposure

carbon dioxide, solid

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Change in the haemogramme/blood composition. Low arterial pressure.

## SECTION 12: Ecological information

#### 12.1 Toxicity:

#### carbon dioxide, solid

	Parameter	Method	Value	Duration	Species	 Fresh/salt water	Value determination
Acute toxicity fishes	LC50		35 mg/l	96 h	Salmo gairdneri		Lethal

#### **Conclusion**

pH shift

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

#### 12.2 Persistence and degradability:

Biodegradability: not applicable

#### 12.3 Bioaccumulative potential:

#### <u>carbon dioxide, solid</u>

Log Kow

Method	Remark	Value	Temperature	Value determination
		0.83		Experimental value

#### **Conclusion**

Bioaccumulation: not applicable

#### 12.4 Mobility in soil:

#### carbon dioxide, solid

Volatility (Henry's Law constant H)

Value	Method	Temperature	Remark	Value determination
0.0152 atm m <sup>3</sup> /mol		25 °C		Estimated value

#### **Conclusion**

No (test)data on mobility of the substance available

#### 12.5 Results of PBT and vPvB assessment:

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances.

#### 12.6 Other adverse effects:

#### carbon dioxide, solid

Global warming potential (GWP)

Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006)

#### **Ozone-depleting potential (ODP)**

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

### SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

Reason for revision: 2,3,8,9,11,12,15

Publication date: 2012-07-11 Date of revision: 2014-08-22

Revision number: 0200

#### 13.1 Waste treatment methods:

#### 13.1.1 Provisions relating to waste

The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned. Can be considered as non hazardous waste according to Directive 2008/98/EC.

#### 13.1.2 Disposal methods

Allow waste to evaporate. Remove waste in accordance with local and/or national regulations. Use appropriate containment to avoid environmental contamination.

#### 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC). 15 01 02 (plastic packaging).

15 01 04 (metallic packaging).

## SECTION 14: Transport information

#### Road (ADR)

14.1 UN number:	
Transport	Not subject
UN number	1845
14.2 UN proper shipping name:	
Proper shipping name	Carbon dioxide, solid (dry ice)
14.3 Transport hazard class(es):	
Hazard identification number	
Class	9
Classification code	M11
14.4 Packing group:	
Packing group	
Labels	
14.5 Environmental hazards:	
Environmentally hazardous substance mark	no
14.6 Special precautions for user:	
Special provisions	
Limited quantities	

#### Rail (RID)

14.1 UN number:		
Transport	Not subject	
UN number	1845	
14.2 UN proper shipping name:		
Proper shipping name	Carbon dioxide, solid (dry ice)	
14.3 Transport hazard class(es):		
Hazard identification number		
Class	9	
Classification code	M11	
14.4 Packing group:		
Packing group		
Labels		
14.5 Environmental hazards:		
Environmentally hazardous substance mark	no	
14.6 Special precautions for user:		
Special provisions		
Limited quantities		

#### Inland waterways (ADN)

Transport	Not subject
UN number	1845
14.2 UN proper shipping name:	
Proper shipping name	Carbon dioxide, solid (dry ice)
14.3 Transport hazard class(es):	
Class	9
Classification code	M11
14.4 Packing group:	
Packing group	
n for revision: 2,3,8,9,11,12,15	Publication date: 2012-07-11
	Date of revision: 2014-08-22

Labels	
14.5 Environmental hazards:	1
Environmentally hazardous substance mark	no
14.6 Special precautions for user:	
Special provisions	
Limited quantities	

### Sea (IMDG/IMSBC)

UN number	1845	
4.2 UN proper shipping name:		
Proper shipping name	Carbon dioxide, solid (dry ice)	
14.3 Transport hazard class(es):		
Class	9	
4.4 Packing group:		
Packing group		
Labels	9	
14.5 Environmental hazards:		
Marine pollutant	-	
Environmentally hazardous substance mark	no	
14.6 Special precautions for user:		
Special provisions		
Limited quantities	none.	
14.7 Transport in bulk according to Annex II of MARPOL 73/78	and the IBC Code:	
Annex II of MARPOL 73/78	Not applicable	

# 14.1 UN number:

UN number	1845
14.2 UN proper shipping name:	
Proper shipping name	Dry ice
14.3 Transport hazard class(es):	
Class	9
14.4 Packing group:	
Packing group	
Labels	9
14.5 Environmental hazards:	
Environmentally hazardous substance mark	no
14.6 Special precautions for user:	
Special provisions	A48
Special provisions	A151
Special provisions	A805
Passenger and cargo transport: limited quantities: maximum net quantity per packaging	Forbidden

## SECTION 15: Regulatory information

15.1 Safety, health and environmental	regulations/legislation s	specific for the substance	or mixture:

#### European legislation:

VOC content	Remark
	Not applicable (inorganic)

Plant protection products

Included in implementing Regulation (EU) No 540/2011, annex part A

#### National legislation The Netherlands

Waste identification (the	LWCA (the Netherlands): KGA category 05	
Netherlands)		
Waterbezwaarlijkheid	9	

### National legislation Germany

	nwg; Classification non-water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 1)	
-		

Reason for revision: 2,3,8,9,11,12,15

#### National legislation France

No data available

#### National legislation Belgium

No data available

### Other relevant data

No data available

#### 15.2 Chemical safety assessment:

No chemical safety assessment has been conducted.

## SECTION 16: Other information

#### Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD)

Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

(\*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

- DSD Dangerous Substance Directive
- DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this are a is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.